



Report v1

Letting ID: 230901 **Call Number:** 001 **Proposal ID:** 35000-213424-2

Description: 4.80 mi of hot mix asphalt shared-use path, boardwalk, sidewalk, signing and pavement markings on

Forest Road from US-23 to just north of East Point Road, losco County. This is a Local Agency project. ** 3073 Ea or Comb/Jt. 3073 Cb, Fa **In addition to the above minimum prequalification requirement for prime contractors this project includes subclassifications of Cb, Ea and Fa. If the prime contractor is not prequalified in those subclassifications it must use prequalified subcontractors. Those subcontractors must be designated prior to award of the contract to the confirmed low bidder.

DBE Goal Percent: 5.00%

Project Information

Project Number	Federal Project Number	Federal Item Numbe	r Control Section
213424A	23A0376		TAL 35000
Location: Forest Road from	n US-23 to just north of East Po	oint Road.	
Route:			
Classification Ratings			
Cb = 20.72%	Ea = 21.35%	Fa = 13.46%	H = 1.91%
J = 2.56%	K = 2.40%	MOT = 5.36%	Misc = 29.46%
N2 = 2.66%	N3 = 0.06%	N6 = 0.06%	

Line Num	Item Description	Item ID	Quantity	Units
0005	Mobilization, Max\$279,400.00	1100001	1.000	LSUM
0415	_Shared use Path, Fence	8067001	632.000	Ft
0420	_Shared use Path, Aggregate, 6 inch	8067011	29,801.000	Syd
0425	Post, Mailbox	8070095	10.000	Ea
0530	Plastic Drum, Fluorescent, Furn	8120252	315.000	Ea
0535	Plastic Drum, Fluorescent, Oper	8120253	315.000	Ea
0605	_Slope Restoration, Modified	8167011	57,000.000	Syd
0635	_Concrete Bumper Block	8507050	12.000	Ea



Report v1

Letting ID: 230901 Call Number: 002 **Proposal ID:** 73000-217904

Description: 0.38 mi of hot mix asphalt reconstruction, concrete curb, gutter, sidewalk and ramps, signing, drainage and pavement markings on 17th Street from Walnut Street to Janes Avenue in the city of Saginaw, Saginaw County. This is a Local Agency project. ** 1870 Ea or 1870 K **In addition to the above minimum prequalification requirement for prime contractors this project includes subclassifications of Cb, Ea, J and K. If the prime contractor is not prequalified in those subclassifications it must use prequalified subcontractors. Those subcontractors must be designated prior to award of the contract

to the confirmed low bidder.

DBE Goal Percent: 5.00%

Project Information

Project Number	Federal Project Number	er Federal Item Num	ber Control Section
217904A	23A0695		STUL 73000
Location: 17th Street	from Walnut Street to Janes A	venue.	
Route:			
Classification Ratin	gs		
Cb = 10.13%	Ea = 24.36%	J = 11.30%	K = 35.58%
MOT = 4.39%	Misc = 13.55%	N2 = 0.32%	N3 = 0.04%

N6 = 0.32%

Line Num	Item Description	Item ID	Quantity	Units
0005	Mobilization, Max\$170,100.00	1100001	1.000	LSUM
0050	_Driveway, Rem	2047011	760.000	Syd
0055	_Pavt, Rem, Modified	2047011	6,360.000	Syd
0285	Channelizing Device, 42 inch, Fluorescent, Furn	8120035	50.000	Ea
0290	Channelizing Device, 42 inch, Fluorescent, Oper	8120036	50.000	Ea
0330	_Turf Establishment, Performance	8167011	3,000.000	Syd
0335	_Monument Box Adj, Modified	8217050	2.000	Ea



Report v1

Letting ID: 230901 **Call Number:** 003 **Proposal ID:** 61000-215759-2

Description: 0.27 mi of hot mix asphalt crushing, shaping and resurfacing, concrete curb, gutter and ramps, signing

and pavement markings on Wilcox Street from Cook Street easterly to Old Channel Trail in the city of Montague, Muskegon County. This is a Local Agency project. ** 205 Cb or Comb/Jt. 205 Ea, J **In addition to the above minimum prequalification requirement for prime contractors this project includes

subclassifications of Cb, Ea and J. If the prime contractor is not prequalified in those

subclassifications it must use prequalified subcontractors. Those subcontractors must be designated


prior to award of the contract to the confirmed low bidder.

DBE Goal Percent: 0.00%

Project Information

Project Number	Federal Project Numbe	Federal Item N	Number Control Section
215759A	23A0555		STUL 61000
Location: Wilcox Stre	et from Cook Street easterly to	Old Channel Trail.	
Route:			
Classification Ratin	gs		
Cb = 48.86%	Ea = 9.59%	J = 11.36%	K = 3.65%
MOT = 6.34%	Misc = 13.20%	N6 = 0.80%	N92D = 6.20%

Line Num	Item Description	Item ID	Quantity	Units
0005	Mobilization, Max\$18,700.00	1100001	1.000	LSUM
0110	Post, Mailbox	8070095	4.000	Ea
0150	Plastic Drum, Fluorescent, Furn	8120252	20.000	Ea
0155	Plastic Drum, Fluorescent, Oper	8120253	20.000	Ea
0180	_Slope Restoration	8167011	1,410.000	Syd





Report v1

Letting ID: 230901 Call Number: 004 **Proposal ID:** 11000-215935

Description: 0.29 mi of hot mix asphalt cold milling and resurfacing, concrete sidewalks and ramps and pavement

markings on Pipestone Street from Wall Street to Empire Avenue in the city of Benton Harbor, Berrien County. This is a Local Agency project. ** 284 Cb **In addition to the above minimum prequalification requirement for prime contractors this project includes a subclassification of Ea. If the prime contractor is not prequalified in this subclassification it must use a prequalified subcontractor. This

subcontractor must be designated prior to award of the contract to the confirmed low bidder.

DBE Goal Percent: 0.00%

Project Information

Project Number	Federal Project Number	Federal Item Number	Control Section
215935A	23A0684		STUL 11000
Location: Pipestone Stree	t from Wall Street to Empire Avenue.		
Route:			

Classification Ratings			
B = 1.16%	Cb = 30.73%	Ea = 5.02%	J = 7.47%
K = 11.98%	MOT = 20.20%	Misc = 13.09%	N2 = 0.48%
N3 = 3.15%	N6 = 0.72%	N93A = 6.01%	

Line Num	Item Description	Item ID	Quantity	Units
0005	Mobilization, Max\$25,000.00	1100001	1.000	LSUM
0055	Dr Structure, Temp Lowering	4030390	17.000	Ea
0220	Channelizing Device, 42 inch, Fluorescent, Furn	8120035	75.000	Ea
0225	Channelizing Device, 42 inch, Fluorescent, Oper	8120036	75.000	Ea
0260	_Slope Restoration, Non-Freeway, Type B, Modified	8167011	410.000	Syd



Report v1

Letting ID: 230901 Call Number: 005 Proposal ID: 70023-210058

Description: 4.49 mi of hot mix asphalt pavement inlay, hot mix asphalt cold milling and resurfacing, full depth concrete joint repairs, aggregate base, signing, guardrail, signal work and pavement markings on I-196BL from US-31 east to 88th Avenue in the cities of Holland and Zeeland, Ottawa County. ** 19590 Cb or 19590 Ea **In addition to the above minimum prequalification requirement for prime contractors this project includes subclassifications of Cb and Ea. If the prime contractor is not prequalified in those subclassifications it must use prequalified subcontractors. Those subcontractors must be designated prior to award of the contract to the confirmed low bidder.

DBE Goal Percent: 6.00%

Project Information

Project Number	Federal Project Number	Federal Item Numbe	r Control Section
210058A	23A0737		NH 70023
Location: I-196BL from US	-31 east to 88th Avenue.		
Route: I-196BL			
Classification Ratings			
B = 0.76%	Ba = 3.07%	Cb = 39.54%	Ea = 29.09%
Fa = 0.01%	I = 0.00%	ITS = 0.37%	J = 1.46%
K = 1.55%	L = 0.24%	MOT = 2.88%	Misc = 13.49%
N3 = 3.59%	N6 = 1.69%	N7 = 0.01%	N91A = 0.03%
N91B = 0.12%	N93A = 0.52%	N93D = 0.03%	N94A = 0.21%
N94B = 0.02%	N96L = 1.31%		

Line Num	Item Description	Item ID	Quantity	Units
0005	Critical Path Method Schedule	1080005	15,000.000	Dlr
0010	Mobilization, Max \$1,782,000.00	1100001	1.000	LSUM
0150	Project Cleanup	2090001	1.000	LSUM
0605	Post, Mailbox	8070095	5.000	Ea
0640	_Field Office, CL 1, Spec	8097060	45,000.000	Dlr
0645	_Field Office, Utility Fees, Modified	8097060	10,000.000	Dlr
0955	Plastic Drum, Fluorescent, Furn	8120252	448.000	Ea
0960	Plastic Drum, Fluorescent, Oper	8120253	448.000	Ea
1035	_Slope Restoration, Bonded Fiber Matrix, Modified	8167011	12,120.000	Syd





Cost Summaries For Primes

Report v1

Line Num	Item Description	Item ID	Quantity	Units
1040	_Slope Restoration, Non-Phosphorus Fertilizer	8167011	29,796.000	Syd
1145	Monument Box	8210001	1.000	Ea
1150	Monument Preservation	8210010	1.000	Ea
1155	Protect Corners	8210020	2.000	Ea
1165	Contractor Staking	8240001	1.000	LSUM
1170	Staking Plan Errors and Extras, Max \$180/hour	8240002	274.000	Hr



Report v1

Letting ID: 230901 Call Number: 006 **Proposal ID:** 81103-204943

Description: Bridge rehabilitation including epoxy overlay, concrete deck patching, barrier and substructure repair, replacement of expansion joints, beam painting, beam repairs, silane treatment, concrete surface coating, metal mesh panel installation, slope paving repairs and approach work on 4 structures on US-23/M-14 and Great Lakes Central Railroad and Pontiac Trail in the city of Ann Arbor, Washtenaw County. This project includes a 2 year concrete surface coating warranty, 2 year beam coating warranty and 5 year epoxy overlay warranty. ** 5079 N4 **In addition to the above minimum prequalification requirement for prime contractors this project includes a subclassification of Fa. If the prime contractor is not prequalified in this subclassification it must use a prequalified subcontractor. This subcontractor must be designated prior to award of the contract to the confirmed low bidder.

DBE Goal Percent: 4.00%

Project Information

Project Number	Federal Project Number	Federal Item Numb	er Control Section
204943A	23A0735		BFP 81103
Location: US-23/M-14	4 over Pontiac Trail and Great Lak	es Central Railroad.	
Route:			
Classification Ratin	gs		
B = 1.13%	Cb = 0.11%	Ea = 1.11%	Fa = 17.80%
Fb = 0.79%	I = 0.33%	J = 0.37%	MOT = 12.45%
Misc = 14.82%	N2 = 0.17%	N3 = 8.69%	N4 = 23.50%
N6 = 0.83%	N7 = 0.27%	N91A = 12.04%	N91C = 3.41%
N96L = 2.07%	N96M = 0.10%		

Line Num	Item Description	Item ID	Quantity	Units
0005	Critical Path Method Schedule	1080005	15,000.000	Dlr
0010	Mobilization, Max\$461,800.00	1100001	1.000	LSUM
0050	Project Cleanup	2090001	1.000	LSUM
0380	Plastic Drum, Fluorescent, Furn	8120252	374.000	Ea
0385	Plastic Drum, Fluorescent, Oper	8120253	374.000	Ea
0490	Contractor Staking	8240001	1.000	LSUM
0495	Staking Plan Errors and Extras, Max \$180/hour	8240002	33.000	Hr
0500	_Railroad Inspection and Flagging, Great Lakes Central Railroad	1027060	90,000.000	Dlr





Cost Summaries For Primes

Report v1

Line Num	Item Description	Item ID	Quantity	Units
0505	_Railroad Protection, Great Lakes Central Railroad	1027060	60,000.000	Dlr
0730	_Slope Protection, Replace	8137011	16.000	Syd



Report v1

Letting ID: 230901 **Call Number:** 007 **Proposal ID:** 13083-213293

Description: 9.08 mi of hot mix asphalt cold milling and resurfacing and pavement markings on I-94 westbound

between 21 1/2 Mile Road and 29 Mile Road, including the eastbound and westbound ramps and I-94BL (C Drive North) from the ramps to I-94 business route (28 Mile Road) in the city of Albion, Calhoun County. This project includes a 3 year materials and workmanship pavement warranty. ** 4258 Cb **In addition to the above minimum prequalification requirement for prime contractors this project includes a subclassification of N9-3A. If the prime contractor is not prequalified in this subclassification it must use a prequalified subcontractor. This subcontractor must be designated prior

to award of the contract to the confirmed low bidder.

DBE Goal Percent: 3.00%

Project Information

Project Number	Federal Project Number	Federal Item Number	Control Section
213293A	23A0739		IM 13083

Location: I-94 westbound from 21-1/2 Mile Road to 29 Mile Road.

Route: I-94

Classification Ratings

Cb = 62.48% MOT = 7.28% Misc = 13.11% N3 = 3.37%

N93A = 13.76%

Line Num	Item Description	Item ID	Quantity	Units
0005	Mobilization, Max\$387,100.00	1100001	1.000	LSUM
0010	Pavt, Cleaning	5010001	1.000	LSUM
0045	_PTR Quartz Sensors	8007051	1.000	LSUM
0165	Plastic Drum, Fluorescent, Furn	8120252	800.000	Ea
0170	Plastic Drum, Fluorescent, Oper	8120253	800.000	Ea
0250	_Sinusoidal Corrugations, Freeway, Milled, HMA Shld	8227001	36,170.000	Ft
0255	Contractor Staking	8240001	1.000	LSUM
0260	Staking Plan Errors and Extras, Max \$180/hour	8240002	42.000	Hr



Report v1

Letting ID: 230901 Call Number: 008 Proposal ID: 22042-213459

Description: 21.59 mi of hot mix asphalt surfacing, overband crack fill, paver placed surface seal centerline and shoulder corrugations, shoulder aggregate, berm grading and pavement markings on M-69 from M-95 to west of Felch Road and on M-95 from US-2 northerly to M-69 (East), Dickinson County. This Project includes a 3 year pavement performance warranty. ** 4674 Cb **In addition to the above minimum prequalification requirement for prime contractors this project includes a subclassification of Ea. If the prime contractor is not prequalified in this subclassification it must use a prequalified subcontractor. This subcontractor must be designated prior to award of the contract to the confirmed low bidder.

DBE Goal Percent: 3.00%

Project Information

Project Number	Federal Project Number	Federal Item Number	Control Section
213459A	23A0742		ST 22042
Location: M-69 from M-95	to west of Felch Road.		

Route:

213463A 23A0743 NH 22012


Location: M-95 from US-2 northerly to M-69 (East).

Route:

Classification Ratings

Ca = 0.95%	Cb = 64.42%	Ea = 9.93%	MOT = 5.77%
Misc = 11.74%	N3 = 2.88%	N93A = 0.33%	N93E = 3.99%

Line Num	Item Description	Item ID	Quantity	Units
0005	Mobilization, Max \$425,000.00	1100001	1.000	LSUM
0115	Plastic Drum, Fluorescent, Furn	8120252	60.000	Ea
0120	Plastic Drum, Fluorescent, Oper	8120253	60.000	Ea
0165	Monument Box Adj	8210005	35.000	Ea
0170	Protect Corners	8210020	36.000	Ea
0175	Centerline Corrugations, Milled, HMA	8220013	106,988.000	Ft
0180	Sinusoidal Corrugations, Non-Freeway, Milled, HMA Shld	8220035	213,214.000	Ft





Report v1

Letting ID: 230901 Call Number: 009 Proposal ID: 11112-212705

Description: Bridge preventative maintenance on 7 structures including silane coating prestessed concrete I-beams and epoxy crack injection on US-31 over Pipestone Creek and St Joseph River and M-139 over St Joseph River in the village of Berrien Springs, Berrien County. ** 872 N7 **In addition to the above minimum prequalification requirement for prime contractors this project includes a subclassification of N9-1E. If the prime contractor is not prequalified in this subclassification it must use a prequalified subcontractor. This subcontractor must be designated prior to award of the contract to the confirmed

low bidder.

DBE Goal Percent: 0.00%


Project Information

· · · · · · · · · · · · · · · · · · ·			
Project Number	Federal Project Number	Federal Item Number	Control Section
212705A	N/A		M 11112
Location: On US-31	and M-139 at multiple locations.		
Route:			
Classification Ratin	as		

MOT = 17.82%Misc = 11.76%Fa = 52.73%L = 5.73%

N3 = 0.05%N91E = 11.91%

Line Num	Item Description	Item ID	Quantity	Units
0005	Mobilization, Max\$79,400.00	1100001	1.000	LSUM
0035	Plastic Drum, Fluorescent, Furn	8120252	170.000	Ea
0040	Plastic Drum, Fluorescent, Oper	8120253	170.000	Ea
0100	Contractor Staking	8240001	1.000	LSUM
0105	Staking Plan Errors and Extras, Max \$180/hour	8240002	9.000	Hr





Report v1

Letting ID: 230901 Call Number: 010 **Proposal ID:** 58071-120343

Description: Traffic signal modernization, concrete curb, gutter, sidewalk and ramps and pavement markings on M-125 at the intersection of Sterns Road and Mall Road, Monroe County. ** 562 L **

DBE Goal Percent: 0.00%

Project Information

Project Number	Federal Project Number	Federal Item N	umber Control Section
120343A	23A0745		CMG 58071
Location: M-125 (Dixie	e Highway) at Sterns Road and M	M-125 (Monroe Road) to Ma	ll Road.
Route:			
Classification Rating	gs		
B = 0.53%	Ba = 0.11%	Cb = 0.36%	Ea = 2.45%
I = 1.18%	ITS = 0.17%	J = 2.88%	K = 0.21%
L = 69.02%	MOT = 6.17%	Misc = 15.46%	N3 = 1.24%
N6 = 0.09%	N96M = 0.12%		

Line Num	Item Description	Item ID	Quantity	Units
0005	Mobilization, Max\$51,200.00	1100001	1.000	LSUM
0095	_Vibration Monitoring, Utility	8007051	1.000	LSUM
0220	Plastic Drum, Fluorescent, Furn	8120252	118.000	Ea
0225	Plastic Drum, Fluorescent, Oper	8120253	118.000	Ea
0380	Span Wire Tether	8200142	8.000	Ea
0460	Contractor Staking	8240001	1.000	LSUM
0465	Staking Plan Errors and Extras, Max \$180/hour	8240002	6.000	Hr





Cost Summaries For Primes

Report v1

Letting ID: 230901 Call Number: 011 **Proposal ID:** 38111-209481

Description: 6.23 mi of freeway signing upgrades, overhead sign structures, guardrails and install delineators along US-127 from Floyd Road northerly to I-94, Jackson County. ** 2091 N6 **

DBE Goal Percent: 0.00%

Project Information

Project Number	Federal Project Number	Federal Item Number	Control Section
209481A	23A0754		NHG 38111
Location: US-127 from	n Floyd Road to I-94.		
Route:			
Classification Rating	gs		

Ea = 0.59%I = 0.35%MOT = 8.83%Misc = 11.65%

N6 = 76.36%N96L = 2.22%

Line Num	Item Description	Item ID	Quantity	Units
0005	Mobilization, Max\$190,100.00	1100001	1.000	LSUM
0365	Plastic Drum, Fluorescent, Furn	8120252	510.000	Ea
0370	Plastic Drum, Fluorescent, Oper	8120253	510.000	Ea
0435	Contractor Staking	8240001	1.000	LSUM
0440	Staking Plan Errors and Extras, Max \$180/hour	8240002	20.000	Hr



Report v1

Letting ID: 230901 Call Number: 012 Proposal ID: 67051-213347

Description: 11.71 mi of crack treatment, single course chip seal and fog seal on M-115 from 16 Mile Road E to E Osceola County line, Gormer Carpool Lot at M-115/M-66 and M-115 from west of N River Road to west of Lake Station Avenue, Osceola and Clare Counties. This project includes a 2 year pavement performance warranty. ** 1929 Ca **In addition to the above minimum prequalification requirement for prime contractors this project includes a subclassification of N9-3G. If the prime contractor is not prequalified in this subclassification it must use a prequalified subcontractor. This subcontractor must be designated prior to award of the contract to the confirmed low bidder.

DBE Goal Percent: 0.00%

Project Information

Project Number	Federal Project Number	Federal Item Number	Control Section
213347A	23A0755		NH 67051

Location: M-115 from 16 Mile Road E to E Osceola County Line, Gormer Carpool Lot at M-115/M-66.

Route: M-115

213852A 23A0756 LATER NH 18011

Location: M-115 from west of N River Road to west of Lake Station Avenue.

Route: M-115


Classification Ratings

Ca = 42.06%	Cb = 10.95%	Ea = 0.44%	MOT = 19.62%

Misc = 9.40%N3 = 3.90%N93A = 0.24%N93E = 5.58%

N93F = 2.07%N93G = 5.75%

Line Num	Item Description	Item ID	Quantity	Units
0005	Mobilization, Max\$175,400.00	1100001	1.000	LSUM
0140	Channelizing Device, 42 inch, Fluorescent, Furn	8120035	345.000	Ea
0145	Channelizing Device, 42 inch, Fluorescent, Oper	8120036	345.000	Ea
0160	Plastic Drum, Fluorescent, Furn	8120252	18.000	Ea
0165	Plastic Drum, Fluorescent, Oper	8120253	18.000	Ea





Report v1

Letting ID: 230901 **Call Number:** 013 **Proposal ID:** 82252-202995

Description: Rehabilitation of 2 pump stations including the removal and replacement of noted mechanical and electrical components and miscellaneous structure upgrades and repairs at I-75 at East Grand

Boulevard and I-75 at Holbrook Street in the city of Detroit, Wayne County. ** 4971 Fd **

DBE Goal Percent: 3.00%

Project Information

Project Number	Federal Project Number	Federal Item Number	Control Section
202995A	23A0761		ST 82252
Location: I-75 at East	Grand Boulevard. (D01 of 82252)		
Route:			
202996A	23A0762		ST 82252
Location: I-75 at Holb	rook Street. (D04 of 82252)		
Route:			
Classification Rating	ne		

Classification Ratings

Ea = 0.21%	Fa = 1.26%	Fb = 0.58%	Fd = 66.32%
G = 0.84%	I = 0.05%	L = 3.80%	MOT = 3.78%
Misc = 21.24%	N7 = 0.75%	N91A = 0.81%	N91C = 0.20%
N91E = 0.11%	N96M = 0.04%		

List of Items by Section

Line Num	Item Description	Item ID	Quantity	Units
0005	Mobilization, Max\$451,100.00	1100001	1.000	LSUM
0010	_Reimbursed Permit Fees	1077060	2,000.000	Dlr
0015	Critical Path Method Schedule	1080005	15,000.000	Dlr
0030	_Miscellaneous Metals, Rem (D01 of 82252)	2047051	1.000	LSUM
0035	_Miscellaneous Metals, Rem (D04 of 82252)	2047051	1.000	LSUM
0040	_Pump Station Elec, Rem (D01 of 82252)	2047051	1.000	LSUM
0045	_Pump Station Elec, Rem (D04 of 82252)	2047051	1.000	LSUM
0050	_Steel Trash Rack Replacement (D01 of 82252)	2047051	1.000	LSUM
0055	_Steel Trash Rack Replacement (D04 of 82252)	2047051	1.000	LSUM
0090	Project Cleanup	2090001	1.000	LSUM
0290	Plastic Drum, Fluorescent, Furn	8120252	102.000	Ea

Page: 15 of 46



Report v1

Line Num	Item Description	Item ID	Quantity	Units
0295	Plastic Drum, Fluorescent, Oper	8120253	102.000	Ea
0335	_Pump Station Equipment, Elec (D01 of 82252)	8187051	1.000	LSUM
0340	_Pump Station Equipment, Elec (D04 of 82252)	8187051	1.000	LSUM
0350	Contractor Staking	8240001	1.000	LSUM
0355	Staking Plan Errors and Extras, Max \$180/hour	8240002	50.000	Hr
0360	_Temp Power System (D01 of 82252)	8507041	5.000	Cday
0365	_Temp Power System (D04 of 82252)	8507041	5.000	Cday
0370	_Reimbursed Permit Fees	1077060	2,000.000	Dlr
0375	Critical Path Method Schedule	1080005	15,000.000	Dlr
0390	_Miscellaneous Metals, Rem (D01 of 82252)	2047051	1.000	LSUM
0395	_Miscellaneous Metals, Rem (D04 of 82252)	2047051	1.000	LSUM
0400	_Pump Station Elec, Rem (D01 of 82252)	2047051	1.000	LSUM
0405	_Pump Station Elec, Rem (D04 of 82252)	2047051	1.000	LSUM
0410	_Steel Trash Rack Replacement (D01 of 82252)	2047051	1.000	LSUM
0415	_Steel Trash Rack Replacement (D04 of 82252)	2047051	1.000	LSUM
0450	Project Cleanup	2090001	1.000	LSUM
0650	Plastic Drum, Fluorescent, Furn	8120252	102.000	Ea
0655	Plastic Drum, Fluorescent, Oper	8120253	102.000	Ea
0695	_Pump Station Equipment, Elec (D01 of 82252)	8187051	1.000	LSUM
0700	_Pump Station Equipment, Elec (D04 of 82252)	8187051	1.000	LSUM
0710	Contractor Staking	8240001	1.000	LSUM
0715	Staking Plan Errors and Extras, Max \$180/hour	8240002	50.000	Hr
0720	_Temp Power System (D01 of 82252)	8507041	5.000	Cday
0725	_Temp Power System (D04 of 82252)	8507041	5.000	Cday



Report v1

Letting ID: 230901 **Call Number:** 014 **Proposal ID:** 47000-201168

Description: ITS device installation including dynamic message signs, cameras, detection and communication

along various routes, in the city of Ann Arbor and Village of Dundee, Clinton, Eaton, Ingham,

Livingston, Monroe and Washtenaw Counties. ** 2902 ITS **

DBE Goal Percent: 0.00%

Project Information

Project Number	Federal Project Number	Federal Item Number	Control Section
201168A	23A0728		CM 47000
Location: Along vario	ous routes.		
Route:			
Classification Ratin	gs		
B = 0.22%	Ea = 1.59%	Fa = 0.93%	I = 0.11%
ITS = 11.94%	L = 52.91%	MOT = 5.24%	Misc = 25.63%
N2 = 0.26%	N6 = 0.29%	N96L = 0.86%	N96M = 0.03%

List of Items by Section

Line Num	Item Description	Item ID	Quantity	Units
0005	Mobilization, Max\$263,800.00	1100001	1.000	LSUM
0060	Project Cleanup	2090001	1.000	LSUM
0135	_Cellular Modem, 4G	8007050	10.000	Ea
0140	_Dynamic Message Sign, Amber, 66mm, 27 by 125	8007050	1.000	Ea
0145	_ITS Cabinet, Ground Mtd, Standard	8007050	10.000	Ea
0150	_Power Distribution Unit	8007050	10.000	Ea
0155	_Rack-Mtd Step-Down Transformer, 7.5kV AMP	8007050	2.000	Ea
0160	_Rack-Mtd Step-Up Transformer, 7.5kV AMP	8007050	2.000	Ea
0165	_Integration, Advanced Traf Management System Software	8007051	1.000	LSUM
0260	Plastic Drum, Fluorescent, Furn	8120252	275.000	Ea
0265	Plastic Drum, Fluorescent, Oper	8120253	275.000	Ea
0300	_Slope Restoration, Freeway, Type A, Modified	8167011	6,125.000	Syd
0305	_Slope Restoration, Freeway, Type B, Modified	8167011	100.000	Syd
0310	_Slope Restoration, Freeway, Type C, Modified	8167011	100.000	Syd
0315	_Slope Restoration, Freeway, Type E, Modified	8167011	520.000	Syd
0390	Contractor Staking	8240001	1.000	LSUM

Page: 17 of 46





Cost Summaries For Primes

Report v1

Line Num	Item Description	Item ID	Quantity	Units
0395	Staking Plan Errors and Extras, Max \$180/hour	8240002	29.000	Hr



Report v1

Letting ID: 230901 **Call Number:** 015 **Proposal ID:** 63081-216423

Description: Installation of modernized ITS Devices including device retrofits, modernizing obsolete devices and

components, power meter modernizations and ITS structures on I-75, I-696, I-94, M-39, and I-96 in the cities of Troy, Warren, Roseville, Eastpointe, Harper Woods, Grosse Pointe Woods, Detroit, and

Southfield, Macomb, Oakland and Wayne Counties. ** 2255 ITS **

DBE Goal Percent: 0.00%

Project Information

Project Number	Federal Project Numbe	r Federal Item Nui	mber Control Section
216423A	23A0747		ST 63081
Location: Various site	es on I-75, I-696, I-94, M-39, I-9	6.	
Route:			
Classification Ratin	gs		
B = 1.02%	Ea = 0.94%	ITS = 12.34%	L = 47.09%
MOT = 7.39%	Misc = 26.56%	N2 = 0.07%	N96M = 4.60%

List of Items by Section

Line Num	Item Description	Item ID	Quantity	Units
0005	Mobilization, Max\$205,000.00	1100001	1.000	LSUM
0040	Project Cleanup	2090001	1.000	LSUM
0045	_Fiber Optic, Cable, Reinstall	8007001	865.000	Ft
0050	_Fiber Optic, Cable, Rem	8007001	1,115.000	Ft
0055	_Cabinet Equipment, Cabinet Monitoring System, Rem	8007050	4.000	Ea
0060	_Cabinet Equipment, Power Distribution Unit, Rem	8007050	4.000	Ea
0065	_Cabinet Monitoring System	8007050	1.000	Ea
0070	_Closed Circuit Television Camera, Rem	8007050	1.000	Ea
0075	_Digital Video Encoder, Rem	8007050	1.000	Ea
0800	_Dynamic Message Sign Controller, Install Salv	8007050	1.000	Ea
0085	_Dynamic Message Sign Controller, Rem and Salv	8007050	1.000	Ea
0090	_Fiber Optic, Hardware Assembly, Install Salv	8007050	2.000	Ea
0095	_Fiber Optic, Hardware Assembly, Rem	8007050	7.000	Ea
0100	_ITS Cabinet, Ground Mtd	8007050	8.000	Ea
0105	_Power Distribution Unit	8007050	9.000	Ea
0110	_Radio, Rem	8007050	1.000	Ea
0115	_Roadside Unit, Rem	8007050	2.000	Ea

Page: 19 of 46



Report v1

Line Num	Item Description	Item ID	Quantity	Units
0120	_Underground Splice Enclosure	8007050	1.000	Ea
0125	_Wireless Link, 5.8 gigahertz, Access Point	8007050	3.000	Ea
0130	_Wireless Link, 5.8 gigahertz, Subscriber Unit	8007050	3.000	Ea
0135	_Integration, Advanced Traf Management System Software	8007051	1.000	LSUM
0140	_System Testing	8007051	1.000	LSUM
0200	Plastic Drum, Fluorescent, Furn	8120252	125.000	Ea
0205	Plastic Drum, Fluorescent, Oper	8120253	125.000	Ea
0235	_Turf Establishment, Performance	8167011	1,226.000	Syd
0360	Contractor Staking	8240001	1.000	LSUM
0365	Staking Plan Errors and Extras, Max \$180/hour	8240002	17.000	Hr





Cost Summaries For Primes

Report v1

Letting ID: 230901 **Call Number:** 016 **Proposal ID:** 17034-217157

Description: 5.23 mi of single course hot mix asphalt overlay, joint repairs, wedging, guardrail repair, aggregate shoulders and pavement markings on I-75 from M-28 northerly to 3 Mile Road, Chippewa County.

This project includes a 3 year materials and workmanship pavement warranty. ** 3503 Cb **

DBE Goal Percent: 3.00%

Project Information

Project Number	Federal Project Number	Federal Item Numbe	r Control Section
217157A	23A0744		NH 17034
Location: I-75 from M-28	to 3 Mile Road.		
Route: I-75			
Classification Ratings			
Cb = 74.30%	Ea = 5.89%	I = 0.17%	K = 0.06%
MOT = 5.24%	Misc = 12.07%	N3 = 1.36%	N93A = 0.76%

N96L = 0.09%

List of Items by Section

N93D = 0.06%

Line Num	Item Description	Item ID	Quantity	Units
0005	Mobilization, Max \$318,500.00	1100001	1.000	LSUM
0150	Plastic Drum, Fluorescent, Furn	8120252	300.000	Ea
0155	Plastic Drum, Fluorescent, Oper	8120253	300.000	Ea
0210	Monument Box Adj	8210005	1.000	Ea
0215	Monument Preservation	8210010	1.000	Ea
0220	Freeway Shld Corrugations, Milled, HMA	8222001	110,710.000	Ft
0225	Contractor Staking	8240001	1.000	LSUM
0230	Staking Plan Errors and Extras, Max \$180/hour	8240002	35.000	Hr





Cost Summaries For Primes

Report v1

Proposal ID: 09032-209495-2 Letting ID: 230901 Call Number: 017

Description: Traffic signal modernizations and sidewalk ramp upgrades on M-13 at 5 intersections, Bay County. ** 1399 L **

DBE Goal Percent: 3.00%

Project Information

Project Number	Federal Project Number	Federal Item Number	r Control Section
209495A	23A0552		STG 09032
Location: On M-13 at 5	5 locations.		
Route:			
Classification Rating	S		
B = 0.32%	Ba = 0.48%	Cb = 0.89%	Ea = 3.24%
I = 0.16%	ITS = 0.41%	J = 4.74%	K = 0.90%
L = 71.94%	MOT = 5.87%	Misc = 9.77%	N3 = 1.28%

Line Num	Item Description	Item ID	Quantity	Units
0005	Mobilization, Max\$127,200.00	1100001	1.000	LSUM
0095	_Dewatering System for Petroleum Contaminated Groundwater, Site	8007051	1.000	LSUM
0165	Channelizing Device, 42 inch, Fluorescent, Furn	8120035	120.000	Ea
0170	Channelizing Device, 42 inch, Fluorescent, Oper	8120036	120.000	Ea
0190	Plastic Drum, Fluorescent, Furn	8120252	100.000	Ea
0195	Plastic Drum, Fluorescent, Oper	8120253	100.000	Ea



N93E = 3.60%



AASHTOWare Project™ Version 4.8.1 Revision 025

Cost Summaries For Primes

Report v1

Letting ID: 230901 Call Number: 018 **Proposal ID:** 75061-213443

Description: 1.77 mi of paver placed surface seal, clearing, aggregate shoulders, corrugations and pavement markings on M-28 in the Seney passing relief lane, Schoolcraft County. This project includes a 3 year pavement performance warranty. ** 757 Cb **

N3 = 3.18%

Misc = 25.48%

DBE Goal Percent: 0.00%

Project Information

Project Number	Federal Project Number	Federal Item Number	er Control Section
213443A	23A0751		NH 75061
Location: M-28 at Driggs R	River.		
Route: M-28			
Classification Ratings			
Ca = 0.99%	Cb = 49.77%	Ea = 6.14%	I = 0.49%

List of Items by Section

MOT = 10.35%

Line Num	Item Description	Item ID	Quantity	Units
0005	Mobilization, Max\$68,900.00	1100001	1.000	LSUM
0010	_Clearing, Spec	2017012	7.000	Acre
0105	Plastic Drum, Fluorescent, Furn	8120252	215.000	Ea
0110	Plastic Drum, Fluorescent, Oper	8120253	215.000	Ea
0165	Centerline Corrugations, Milled, HMA	8220013	9,331.000	Ft
0170	Sinusoidal Corrugations, Non-Freeway, Milled, HMA Shld	8220035	18,662.000	Ft
0175	Contractor Staking	8240001	1.000	LSUM
0180	Staking Plan Errors and Extras, Max \$180/hour	8240002	8.000	Hr



Report v1

Letting ID: 230901 **Call Number:** 019 **Proposal ID:** 52055-213486

Description: 3.01 mi of hot mix asphalt cold milling and resurfacing, sidewalk curb ramp upgrades and pavement

markings on M-553 from Division Street to US-41 and on M-35 from the middle branch of the Escanaba River to the east branch of the Escanaba River in the city of Marquette, Marquette County.

** 1633 Cb **In addition to the above minimum prequalification requirement for prime contractors this project includes a subclassification of N9-3A. If the prime contractor is not prequalified in this

subclassification it must use a prequalified subcontractor. This subcontractor must be designated prior

to award of the contract to the confirmed low bidder.

DBE Goal Percent: 0.00%

Project Information

Project Number	Federal Project Number	Federal Item Number	Control Section
213486A	23A0758		ST 52055

Location: M-553 from Division Street to US-41.

Route: M-553

213514A 23A0759 ST 52032

Location: M-35 from the middle branch of the Escanaba River to the east branch of the Escanaba River.

Route: M-35

Classification Ratings

Cb = 55.40%	Ea = 2.82%	I = 0.05%	J = 2.69%
OD - 00.70 /0	La – 2.02 /0	1 - 0.0070	0 - 2.00 /0

K = 1.46% MOT = 6.36% Misc = 12.59% N3 = 4.71%

N6 = 0.01% N93A = 13.76% N93D = 0.17%

Line Num	Item Description	Item ID	Quantity	Units
0005	Mobilization, Max\$148,500.00	1100001	1.000	LSUM
0065	Pavt, Cleaning	5010001	1.000	LSUM
0265	Plastic Drum, Fluorescent, Furn	8120252	360.000	Ea
0270	Plastic Drum, Fluorescent, Oper	8120253	360.000	Ea
0370	Monument Box Adj	8210005	7.000	Ea
0375	Monument Preservation	8210010	1.000	Ea
0380	Protect Corners	8210020	24.000	Ea
0390	Contractor Staking	8240001	1.000	LSUM
0395	Staking Plan Errors and Extras, Max \$180/hour	8240002	17.000	Hr





Cost Summaries For Primes

Report v1

Letting ID: 230901 Call Number: 020 **Proposal ID:** 54022-208734

Description: 2.81 mi of hot mix asphalt one course overlay, cold milling and resurfacing, joint repairs, crushing and shaping of shoulders, underdrain cleanout and pavement markings on M-20 from Hewlett Street

easterly to Costabella Avenue, Mecosta County. ** 735 Cb **

DBE Goal Percent: 0.00%

Project Information

Project Number	Federal Project Num	ber Federal Item N	umber Control Section		
208734A	N/A		M 54022		
Location: M-20 from east of Hewlett Street to west of Costabella Avenue.					
Route: M-20					
Classification Rating	gs				
Cb = 67.83%	Ea = 4.19%	I = 0.46%	MOT = 7.05%		
Misc = 11.70%	N3 = 1.94%	N92D = 4.77%	N93A = 1.92%		

N93D = 0.13%

Line Num	Item Description	Item ID	Quantity	Units
0005	Mobilization, Max\$66,800.00	1100001	1.000	LSUM
0110	Channelizing Device, 42 inch, Fluorescent, Furn	8120035	336.000	Ea
0115	Channelizing Device, 42 inch, Fluorescent, Oper	8120036	336.000	Ea
0135	Plastic Drum, Fluorescent, Furn	8120252	6.000	Ea
0140	Plastic Drum, Fluorescent, Oper	8120253	6.000	Ea
0195	Monument Box	8210001	3.000	Ea
0200	Monument Box Adj	8210005	10.000	Ea
0205	Monument Preservation	8210010	3.000	Ea
0210	Centerline Corrugations, Milled, HMA	8220013	12,988.000	Ft





Cost Summaries For Primes

Report v1

Letting ID: 230901 Call Number: 021 **Proposal ID:** 17043-208645

Description: 7.96 mi of hot mix asphalt overlay, aggregate shoulders, guardrail repairs and pavement markings on M-48 from east of M-129 to pavement change, Chippewa County. ** 1672 Cb **

DBE Goal Percent: 0.00%

Project Information

Project Number	Federal Project Number	Federal Item Number	Control Section
208645A	N/A		M 17043
Location: M-48 from	east of M-129 to pavement chan	ge.	
Route: M-48			
Classification Ratin	gs		
Cb = 68.22%	Ea = 7.61%	MOT = 5.72%	Misc = 14.65%
N3 = 2.58%	N93A = 0.61%	N93D = 0.13%	N96L = 0.48%

Line Num	Item Description	Item ID	Quantity	Units
0005	Mobilization, Max\$152,000.00	1100001	1.000	LSUM
0110	Plastic Drum, Fluorescent, Furn	8120252	285.000	Ea
0115	Plastic Drum, Fluorescent, Oper	8120253	285.000	Ea
0155	Monument Box Adj	8210005	11.000	Ea
0160	Monument Preservation	8210010	11.000	Ea
0165	Centerline Corrugations, Milled, HMA	8220013	41,230.000	Ft
0170	Sinusoidal Corrugations, Non-Freeway, Milled, HMA Shld	8220035	83,946.000	Ft
0175	Contractor Staking	8240001	1.000	LSUM
0180	Staking Plan Errors and Extras, Max \$180/hour	8240002	17.000	Hr





Cost Summaries For Primes

Report v1

Letting ID: 230901 **Call Number:** 022 **Proposal ID:** 33000-205867

Description: 1.27 mi of hot mix asphalt cold milling and resurfacing, concrete curb, gutter and ramps, joint repairs and pavement markings on Coolidge Road from Lake Lansing Road to Saginaw Street in the city of

East Lansing, Ingham County. This is a Local Agency project. ** 1889 Cb **

N93A = 5.73%

DBE Goal Percent: 6.00%

Project Information

Project Number	Federal Project Number	r Federal Item Numbe	r Control Section
205867A	23A0686		STU 33000
Location: Coolidge Ro	ad from Lake Lansing Road to	Saginaw Street.	
Route:			
Classification Rating	ĮS .		
B = 0.79%	Cb = 50.51%	Ea = 5.34%	J = 8.36%
K = 3.03%	L = 1.53%	MOT = 4.51%	Misc = 16.36%

N93G = 0.26%

List of Items by Section

N3 = 3.57%

Line Num	Item Description	Item ID	Quantity	Units
0005	_Curb Ramp Layout	1047051	1.000	LSUM
0010	Mobilization, Max\$172,000.00	1100001	1.000	LSUM
0295	Channelizing Device, 42 inch, Fluorescent, Furn	8120035	549.000	Ea
0300	Channelizing Device, 42 inch, Fluorescent, Oper	8120036	549.000	Ea
0345	_Turf Establishment, Performance	8167011	1,150.000	Syd
0397	_Flsh Beacon, Rectangular Rapid	8207050	8.000	Ea
0400	Monument Box Adj	8210005	2.000	Ea



Report v1

Letting ID: 230901 **Call Number:** 023 **Proposal ID:** 77000-218239

Description: 0.31 mi of concrete pavement repairs and pavement markings on Fred W Moore Highway from 7th

Avenue to Clinton Avenue in the city of St. Clair, St. Clair County. This is a Local Agency project. ** 217 Ba or 217 Ea **In addition to the above minimum prequalification requirement for prime contractors this project includes subclassifications of Ba and Ea. If the prime contractor is not prequalified in those subclassifications it must use prequalified subcontractors. Those subcontractors

must be designated prior to award of the contract to the confirmed low bidder.

DBE Goal Percent: 0.00%

Project Information

Project Number	Federal Project Number	Federal Item Number	Control Section
218239A	23A0707		STUL 77000
Location: Fred W Mo	ore Highway from 7th Avenue to C	Clinton Avenue.	
Route:			
Classification Ratin	gs		
Ba = 45.97%	Ea = 14.49%	K = 9.02% M	OT = 12.07%
Misc = 14.03%	N3 = 0.30%	N6 = 1.15% N	93C = 2.98%

Line Num	Item Description	Item ID	Quantity	Units
0005	_Audio Visual Record of Construction Influence Area	1027051	1.000	LSUM
0010	Mobilization, Max\$18,300.00	1100001	1.000	LSUM
0110	Plastic Drum, Fluorescent, Furn	8120252	184.000	Ea
0115	Plastic Drum, Fluorescent, Oper	8120253	184.000	Ea
0145	_Turf Establishment, Performance	8167011	250.000	Syd
0150	_Irrigation Pipe	8507001	100.000	Ft
0155	_Sprinkler Head	8507050	10.000	Ea





Report v1

Letting ID: 230901 **Call Number:** 024 **Proposal ID:** 79000-206209

Description: 3.15 mi of hot mix asphalt resurfacing, aggregate shoulders, permanent signing and pavement

markings on Bevens Road from M-24 east to East Dayton Road, Tuscola County. This is a Local Agency project. ** 487 Cb **In addition to the above minimum prequalification requirement for prime contractors this project includes a subclassification of Ea. If the prime contractor is not prequalified in this subclassification it must use a prequalified subcontractor. This subcontractor must be designated

prior to award of the contract to the confirmed low bidder.

DBE Goal Percent: 3.00%

Project Information

Project Number	Federal Project Number	Federal Item Number	Control Section
206209A	23A0715		STL 79000
Location: Bevens Roa	ad from M-24 east to East Dayton Roa	d.	
Route:			
Classification Ratin	gs		

Cb = 64.66% Ea = 14.16% MOT = 7.04% Misc = 12.00%

N3 = 1.06% N6 = 1.09%

Line Num	Item Description	Item ID	Quantity	Units
0005	Mobilization, Max\$44,300.00	1100001	1.000	LSUM
0025	Pavt, Cleaning	5010001	1.000	LSUM
0110	Channelizing Device, 42 inch, Fluorescent, Furn	8120035	110.000	Ea
0115	Channelizing Device, 42 inch, Fluorescent, Oper	8120036	110.000	Ea
0165	_Slope Restoration	8167011	3,700.000	Syd
0170	Monument Box Adj	8210005	3.000	Ea





Cost Summaries For Primes

Report v1

Letting ID: 230901 **Call Number:** 025 **Proposal ID:** 24011-218375

Description: 0.60 mi of adding crosswalks, bumpouts, LED lighting and sidewalk reconstruction on US-31 from

West Street to M-68 and River Street from US-31 to West Street in the village of Alanson, Emmet

County. This is a Local Agency project. ** 768 L **

DBE Goal Percent: 4.00%

Project Information


Project Number	Federal Project Number	Federal Item Number	Control Section
218375A	23A0669		TAL 24011
Location: US-31 from \	West Street to M-68 and River Street	from US-31 to West Street.	
Route:			
Classification Dating	_		

Classification Ratings

Ea = 1.09% H = 7.55% J = 8.05% L = 68.08%

MOT = 3.63% Misc = 11.59%

Line Num	Item Description	Item ID	Quantity	Units
0005	Mobilization, Max\$73,700.00	1100001	1.000	LSUM
0045	Channelizing Device, 42 inch, Fluorescent, Furn	8120035	100.000	Ea
0050	Channelizing Device, 42 inch, Fluorescent, Oper	8120036	100.000	Ea
0070	Plastic Drum, Fluorescent, Furn	8120252	100.000	Ea
0075	Plastic Drum, Fluorescent, Oper	8120253	100.000	Ea
0135	_Turf Establishment,Performance, Spec	8167011	2,000.000	Syd





Report v1

Letting ID: 230901 Call Number: 026 **Proposal ID:** 17000-208179-2

Description: 0.54 mi of hot mix asphalt reconstruction, concrete sidewalk and ramps, sanitary and storm sewer, watermain and pavement markings on Meridian Street from West Easterday Avenue to 4th Avenue in the city of Sault Ste. Marie, Chippewa County. This is a Local Agency project. ** 2743 Ea or 2743 K **In addition to the above minimum prequalification requirement for prime contractors this project includes subclassifications of Cb, Ea and K. If the prime contractor is not prequalified in those subclassifications it must use prequalified subcontractors. Those subcontractors must be designated prior to award of the contract to the confirmed low bidder.

DBE Goal Percent: 3.00%

Project Information

Project Number	Federal Project Number	Federal Item Number	Control Section			
208179A	23A0227		STUL 17000			
Location: Meridian Street from West Easterday Avenue to 4th Avenue.						
Route:						
Classification Ratin	gs					
B = 0.17%	Cb = 14.32%	Ea = 28.87% J	= 8.55%			
K = 37.98%	MOT = 3.73%	Misc = 5.44% N	3 = 0.33%			
N6 = 0.37%	N94B = 0.18%	N96M = 0.05%				

Line Num	Item Description	Item ID	Quantity	Units
0005	Mobilization, Max\$70,000.00	1100001	1.000	LSUM
0255	Post, Mailbox	8070095	1.000	Ea
0380	Plastic Drum, Fluorescent, Furn	8120252	125.000	Ea
0385	Plastic Drum, Fluorescent, Oper	8120253	125.000	Ea
0415	_Restoration, Modified	8167011	13,500.000	Syd
0420	Monument Box	8210001	1.000	Ea
0425	Monument Preservation	8210010	1.000	Ea
0515	Contractor Staking	8240001	1.000	LSUM
0520	Staking Plan Errors and Extras, Max \$180/hour	8240002	25.000	Hr





Cost Summaries For Primes

Report v1

Letting ID: 230901 Call Number: 027 **Proposal ID:** 63000-213746

Description: Install countdown pedestrian signals on various routes at 24 intersections in the city of Royal Oak, Oakland County. This is a Local Agency project. ** 179 L **

DBE Goal Percent: 0.00%

Project Information

Project Number	Federal Project Number	Federal Item Number	Control Section
213746A	23A0706		VRU 63000
Location: On various	routes at 24 intersections.		
Route:			

Classification Ratings

L = 73.59%MOT = 16.21%Misc = 10.19%

Line Num	Item Description	Item ID	Quantity	Units
0005	Mobilization, Max\$16,300.00	1100001	1.000	LSUM
0015	Channelizing Device, 42 inch, Fluorescent, Furn	8120035	50.000	Ea
0020	Channelizing Device, 42 inch, Fluorescent, Oper	8120036	50.000	Ea





Report v1

Letting ID: 230901 **Call Number:** 028 **Proposal ID:** 39000-215629

Description: 0.37 mi of hot mix asphalt shared-use path, curb ramp, fence removal, hydrant relocation, ditching and

pavement markings along KL Avenue, Kalamazoo County. This is a Local Agency project. ** 326 Cb or 326 Ea **In addition to the above minimum prequalification requirement for prime contractors this project includes subclassifications of Cb and Ea. If the prime contractor is not prequalified in those subclassifications it must use prequalified subcontractors. Those subcontractors must be designated

prior to award of the contract to the confirmed low bidder.


DBE Goal Percent: 4.00%

Project Information

Project Number	Federal Project Number	Federal Item Number	er Control Section
215629A	23A0713		TAU 39000
Location: West of KL Ave	nue.		
Route:			
Classification Ratings			
Cb = 29.98%	Ea = 30.77%	H = 2.75%	I = 3.81%
J = 7.69%	K = 1.43%	MOT = 8.22%	Misc = 12.65%

N3 = 1.91% N6 = 0.76%

Line Num	Item Description	Item ID	Quantity	Units
0005	Mobilization, Max\$29,500.00	1100001	1.000	LSUM
0185	Plastic Drum, Fluorescent, Furn	8120252	100.000	Ea
0190	Plastic Drum, Fluorescent, Oper	8120253	100.000	Ea
0240	_Native Seeding	8167011	250.000	Syd
0245	_Prepared Soil, 24"	8167011	250.000	Syd





Report v1

Letting ID: 230901 **Call Number:** 029 **Proposal ID:** 21000-212301

Description: Bridge replacement with 3-sided culvert, pavement markings and approach work on 17th Road over

Ten Mile Creek, Delta County. This is a Local Agency project. ** 1259 Ea or 1259 Fa **In addition to the above minimum prequalification requirement for prime contractors this project includes

subclassification of Ea and Fa. If the prime contractor is not prequalified in those subclassifications it must use prequalified subcontractors. Those subcontractors must be designated prior to award of the

contract to the confirmed low bidder.

DBE Goal Percent: 0.00%

Project Information


Project Number	Federal Project Number	Federal Item Number	er Control Section
212301A	N/A		MCS 21000
Location: 17th Road over	Ten Mile Creek.		
Route:			
Classification Ratings			
Cb = 3.68%	Ea = 53.15%	Fa = 19.44%	Fb = 1.65%

I = 0.12% MOT = 4.34% Misc = 14.12% N2 = 0.37%

N3 = 0.08% N6 = 0.06% N7 = 0.43% N91A = 0.12%

N96L = 2.45%

Line Num	Item Description	Item ID	Quantity	Units
0005	Mobilization, Max\$122,000.00	1100001	1.000	LSUM
0150	Contractor Staking	8240001	1.000	LSUM
0155	Staking Plan Errors and Extras, Max \$180/hour	8240002	5.000	Hr
0235	_Riprap, Special, Class II	8137031	200.000	Ton





Report v1

Letting ID: 230901 Call Number: 030 **Proposal ID:** 39000-206261

Description: 0.64 mi of hot mix asphalt cold milling and resurfacing, drainage improvements, concrete curb and gutter, guardrail and pavement markings on Douglas Avenue from the north city limits of Kalamazoo to north of Mosel Avenue, Kalamazoo County. This is a Local Agency project. ** 1435 Cb **In addition to the above minimum prequalification requirement for prime contractors this project includes a subclassification of Ea. If the prime contractor is not prequalified in this subclassification it must use a prequalified subcontractor. This subcontractor must be designated prior to award of the contract to the confirmed low bidder.

DBE Goal Percent: 5.00%

Project Information

Project Number	Federal Project Number	Federal Item Numbe	r Control Section
206261A	23A0712		STU 39000
Location: Douglas Ave	enue from City of Kalamazoo Lim	nits to north of Mosel Avenue	
Route:			
Classification Rating	gs		
B = 1.83%	Ba = 0.54%	Ca = 0.19%	Cb = 36.44%
Ea = 19.73%	J = 5.97%	K = 12.26%	MOT = 6.14%
Misc = 12.38%	N3 = 0.25%	N6 = 0.24%	N93A = 2.90%
N94B = 0.13%	N96L = 1.01%		

Line Num	Item Description	Item ID	Quantity	Units
0005	Mobilization, Max\$131,000.00	1100001	1.000	LSUM
0315	Post, Mailbox	8070095	18.000	Ea
0385	Channelizing Device, 42 inch, Fluorescent, Furn	8120035	107.000	Ea
0390	Channelizing Device, 42 inch, Fluorescent, Oper	8120036	107.000	Ea
0415	Plastic Drum, Fluorescent, Furn	8120252	75.000	Ea
0420	Plastic Drum, Fluorescent, Oper	8120253	75.000	Ea
0470	_HMA Spillway	8147011	11.000	Syd
0475	_Native Seeding	8167011	260.000	Syd
0480	_Turf Establishment	8167011	4,949.000	Syd



Report v1

Letting ID: 230901 Call Number: 031 **Proposal ID:** 29000-218499


Description: 0.30 mi of hot mix asphalt reconstruction, curb repairs, sidewalk ramps and pavement markings on Michigan Avenue from Superior Street (US-127BL) to Bridge Avenue in the city of Alma, Gratiot County. This is a Small Business Program project. Only those approved by MDOT as a Small Business may be eligible to bid as a prime contractor. This is a Local Agency project. ** 355 Cb or 355 Ea **In addition to the above minimum prequalification requirement for prime contractors this project includes subclassifications of Cb, Ea and J. If the prime contractor is not prequalified in those subclassifications it must use prequalified subcontractors. Those subcontractors must be designated prior to award of the contract to the confirmed low bidder.

DBE Goal Percent: 0.00%

Project Information

Project Number	Federal Project Number	Federal Item Numbe	r Control Section
218499A	23A0703		STUL 29000
Location: Michigan Avenue	e from Superior Street (US-127	BL) to Bridge Avenue.	
Route:			
Classification Ratings			
Cb = 35.13%	Ea = 29.18%	J = 11.67%	K = 4.98%
L = 0.14%	MOT = 6.33%	Misc = 11.86%	N3 = 0.70%

Line Num	Item Description	Item ID	Quantity	Units
0005	Mobilization, Max\$32,400.00	1100001	1.000	LSUM
0190	Plastic Drum, Fluorescent, Furn	8120252	25.000	Ea
0195	Plastic Drum, Fluorescent, Oper	8120253	25.000	Ea
0210	_Slope Restoration, Modified	8167011	600.000	Syd





Report v1

Letting ID: 230901 **Call Number:** 032 **Proposal ID:** 41000-216595

Description: Construction of pedestrian hybrid beacon, concrete curb, gutter and sidewalk ramps and installation of

pedestrian actuated rapid flashing beacons on Eastern Avenue at Plaster Creek and at multiple intersections in the city of Grand Rapids, Kent County. This is a Local Agency project. ** 617 L **

DBE Goal Percent: 5.00%

Project Information

Project Number	Federal Project Number	Federal Item Number	Control Section
216595A	23A0653		TAU 41000
Location: Eastern Ave	nue SE at Plaster Creek.		
Route:			
216855A	23A0654		TAU 41000
Location: Eastern Ave	nue SE at Plaster Creek.		
Route:			

Classification Ratings

Cb = 1.74%	Ea = 2.65%	H = 1.62%	J = 6.23%
K = 0.14%	L = 48.05%	MOT = 4.50%	Misc = 31.75%
N3 = 1.47%	N4 = 0.65%	N6 = 1.21%	

Line Num	Item Description	Item ID	Quantity	Units
0005	Mobilization, Max\$56,600.00	1100001	1.000	LSUM
0025	_Pavement, Remove, Modified	2047011	151.000	Syd
0045	Project Cleanup	2090001	1.000	LSUM
0150	Channelizing Device, 42 inch, Fluorescent, Furn	8120035	150.000	Ea
0155	Channelizing Device, 42 inch, Fluorescent, Oper	8120036	150.000	Ea
0185	_Turf Establishment	8167011	250.000	Syd
0375	_Flsh Beacon, Rectangular Rapid	8207050	12.000	Ea
0380	_Mast Arm, 65 foot, Cat I	8207050	1.000	Ea
0385	_Steel Pole Mounting Hub	8207050	3.000	Ea



Report v1

Letting ID: 230901 Call Number: 033 **Proposal ID:** 41000-212755

Description: 0.21 mi of hot mix asphalt reconstruction, concrete curb, gutter, sidewalk and ramps, signing, sanitary sewer and pavement markings on Bristol Avenue from south of Kloet Street northerly to north of Vinecroft Street in the city of Walker, Kent County. This is a Local Agency project. ** 2911 Ea or 2911 Fa **In addition to the above minimum prequalification requirement for prime contractors this project includes subclassifications of Ea and Fa. If the prime contractor is not prequalified in those subclassifications it must use prequalified subcontractors. Those subcontractors must be designated prior to award of the contract to the confirmed low bidder.

DBE Goal Percent: 6.00%

Project Information

Project Number	Federal Project Number	Federal Item Numbe	r Control Section		
212755A	23A0723		STU 41000		
Location: Bristol Avenue from south of Kloet Street northerly to north of Vinecroft Street.					
Route:					
Classification Ratings					
Cb = 6.08%	Ea = 27.92%	Fa = 31.25%	Fb = 3.82%		

I = 2.06%J = 3.12%K = 7.41%MOT = 1.63%

Misc = 12.54%N2 = 2.65%N3 = 0.10%N6 = 0.07%

N7 = 0.06%N91B = 1.29%

Line Num	Item Description	Item ID	Quantity	Units
0005	Mobilization, Max\$261,100.00	1100001	1.000	LSUM
0020	_Abandon and FIII Undergound Utilities, 12 inch Dia	2037001	135.000	Ft
0025	_Manhole, Valve Chamber, or Catch Basin, Rem	2037050	2.000	Ea
0045	_Track, Rem (sta 8451+20 to sta 8463+20), store rail and tie plates	2047001	1,200.000	Ft
0050	_Rem all Ties in Rebuild Section (8451+20 to 8463+20)	2047050	700.000	Ea
0055	_Remove and Dispose of Ties (2 of every 3 ties) in Track Raising Areas	2047050	80.000	Ea
0290	Plastic Drum, Fluorescent, Furn	8120252	50.000	Ea
0295	Plastic Drum, Fluorescent, Oper	8120253	50.000	Ea
0325	_Turf Establishment	8167011	2,000.000	Syd
0395	_100# RA Rail relay meeting Class 1 (if required) and Disp	8507001	100.000	Ft






Cost Summaries For Primes

Report v1

Line Num	Item Description	Item ID	Quantity	Units
0400	_Construct New Track w/100# RA Bolted Rail (two parallel rails), new ties, etc.	8507001	1,200.000	Ft
0405	_Raise, Tamp, and Regulate Ex. Track to Proposed Elevations (1/4" to 4" lift)	8507001	200.000	Ft
0410	_New 7" x 9" 10 Foot Long Ties Across Bridge	8507050	48.000	Ea
0415	_New Anchors on New and Adjusted Track Sections	8507051	1.000	LSUM
0420	_Surface Ex. Track 100 feet Each Way of Adjusted Track Sections	8507051	1.000	LSUM
0425	_Tamp and Regulate/Surface Existing No. 10 Turnout	8507051	1.000	LSUM





Report v1

Letting ID: 230901 **Call Number:** 034 **Proposal ID:** 79000-216043

Description: 4.05 mi of hot mix asphalt base crushing, shaping, cold milling and resurfacing, signing and pavement

markings on Clifford Road from M-24 to Marlette Road, Tuscola County. This is a Local Agency project. ** 1173 Cb or 1173 Ea **In addition to the above minimum prequalification requirement for prime contractors this project includes subclassifications of Cb and Ea. If the prime contractor is not prequalified in those subclassifications it must use prequalified subcontractors. Those subcontractors

must be designated prior to award of the contract to the confirmed low bidder.

DBE Goal Percent: 4.00%

Project Information

Project Number	Federal Project Number	Federal Item Number	Control Section
216043A	23A0732		HRRR 79000
Location: Clifford Roa	ad from M-24 to Marlette Road.		
Route:			
Classification Ratin	gs		
Cb = 34.67%	Ea = 31.16%	K = 0.21%	MOT = 8.02%
Misc = 17.30%	N3 = 1.25%	N6 = 3.22%	N92D = 2.71%

N93A = 1.45%

Line Num	Item Description	Item ID	Quantity	Units
0005	Mobilization, Max\$106,600.00	1100001	1.000	LSUM
0145	Post, Mailbox	8070095	5.000	Ea
0265	Plastic Drum, Fluorescent, Furn	8120252	150.000	Ea
0270	Plastic Drum, Fluorescent, Oper	8120253	150.000	Ea
0310	_Slope Restoration, Modified	8167011	12,500.000	Syd
0315	Monument Box	8210001	1.000	Ea
0320	Monument Preservation	8210010	1.000	Ea
0325	_Asphalt Cement Binder	8507022	13,246.000	Gal



Report v1

Letting ID: 230901 Call Number: 035 **Proposal ID:** 50000-206702

Description: 1.20 mi of concrete base repair, concrete cold milling, hot mix asphalt resurfacing, drainage structures repairs and adjustment, permanent signs and pavement markings on Frazho Road from Hayes east to Gratiot Avenue, Macomb County. This is a Local Agency project. ** 3368 Cb or Comb/Jt. 3368 Ba, Ea or Comb/Jt. 3368 Ba, J or Comb/Jt. 3368 Ea, J **In addition to the above minimum prequalification requirement for prime contractors this project includes subclassifications of Ba, Cb, Ea and J. If the prime contractor is not prequalified in those subclassifications it must use prequalified subcontractors. Those subcontractors must be designated prior to award of the contract to the confirmed low bidder.

DBE Goal Percent: 7.00%

Project Information

Project Number	Federal Project Number	Federal Item Number	Control Section			
206702A	23A0709		STU 50000			
Location: Frazho Road fr	om Hayes Road east to Gratio	t Avenue.				
Route:						
Classification Ratings						
B = 4.46%	Ba = 11.67%	Cb = 27.07%	Ea = 14.47%			
I = 0.53%	J = 11.90%	K = 4.34%	L = 0.12%			
MOT = 1.80%	Misc = 12.20%	N3 = 0.45%	N6 = 0.68%			


N93G = 0.89%

N93F = 0.62%

List of Items by Section

N93A = 8.80%

Line Num	Item Description	Item ID	Quantity	Units
0005	_Reimbursed Permit Fees	1077060	7,000.000	Dlr
0010	Mobilization, Max\$306,200.00	1100001	1.000	LSUM
0050	Project Cleanup	2090001	1.000	LSUM
0085	Dr Structure, Temp Lowering	4030390	80.000	Ea
0120	Pavt, Cleaning	5010001	1.000	LSUM
0360	Channelizing Device, 42 inch, Fluorescent, Furn	8120035	175.000	Ea
0365	Channelizing Device, 42 inch, Fluorescent, Oper	8120036	175.000	Ea
0390	Plastic Drum, Fluorescent, Furn	8120252	200.000	Ea
0395	Plastic Drum, Fluorescent, Oper	8120253	200.000	Ea
0440	_Hydroseeding	8167011	9,000.000	Syd
0455	Monument Box Adj	8210005	2.000	Ea
0475	_Audio Visual Record of Construction Area	8507051	1.000	LSUM





Cost Summaries For Primes

Report v1

Line Num	Item Description	Item ID	Quantity	Units
0480	_Rubbish Pickup	8507051	1.000	LSUM



Report v1

Letting ID: 230901 Call Number: 036 **Proposal ID:** 41000-214969


Description: 0.14 mi of hot mix asphalt reconstruction, concrete curb and gutter, storm and sanitary sewer and pavement markings on State Street from Lafayette Avenue to Madison Avenue in the city of Grand Rapids, Kent County. This is a Local Agency project. ** Comb/Jt. 1396 Ba, Ea or Comb/Jt. 1396 Ba, K or Comb/Jt. 1396 Ea, J or Comb/Jt. 1396 Ea, K or Comb/Jt. 1381 J, K **In addition to the above minimum prequalification requirement for prime contractors this project includes subclassifications of Ba, Ea, J and K. If the prime contractor is not prequalified in those subclassifications it must use prequalified subcontractors. Those subcontractors must be designated prior to award of the contract to the confirmed low bidder.

DBE Goal Percent: 5.00%

Project Information

Project Number	Federal Project Number	Federal Item Numbe	r Control Section
214969A	23A0659		EMRP 41000
Location: State Street from	Lafayette Avenue to Madison	Avenue.	
Route:			
Classification Ratings			
B = 12.40%	Cb = 2.20%	Ea = 13.53%	H = 2.78%
I = 0.83%	ITS = 0.29%	J = 10.06%	K = 16.61%
L = 1.07%	MOT = 2.24%	Misc = 34.71%	N2 = 0.72%
N3 = 1.33%	N6 = 0.50%	N93A = 0.57%	N94B = 0.16%

Line Num	Item Description	Item ID	Quantity	Units
0005	Mobilization, Max\$125,800.00	1100001	1.000	LSUM
0015	_Manhole, Valve Chamber, or Catch Basin, Rem	2037050	7.000	Ea
0020	_Meter Pit, Rem	2037050	1.000	Ea
0035	_Abandon and Fill Underground Utilities, 12 inch Dia	2047001	50.000	Ft
0040	_Curb, Stone, Rem and Salvage	2047001	250.000	Ft
0045	_Brick Pavt, Rem, Salvage, Full Depth	2047011	2,550.000	Syd
0050	_Pavt, Rem, Modified	2047011	1,050.000	Syd
0320	Plastic Drum, Fluorescent, Furn	8120252	50.000	Ea
0325	Plastic Drum, Fluorescent, Oper	8120253	50.000	Ea
0415	_Turf Establishment	8167011	220.000	Syd
0430	_Direct Buried Conduit, 1, 1 1/2 Inch, Schedule 40 PVC	8207001	40.000	Ft





Report v1

Line Num	Item Description	Item ID	Quantity	Units
0435	_Conduits, Connect to Existing	8207050	1.000	Ea
0440	_Pedestrian Signal Pedestal, Foundation	8207050	1.000	Ea
0570	_Brick Pavement, Concrete Header	8507001	175.000	Ft
0575	_Perf Pipe, Sock, 4 inch	8507001	750.000	Ft
0580	_Porous Paver Sidewalk	8507010	1,170.000	Sft
0585	_Brick Pavement	8507011	2,125.000	Syd
0590	_Permeable Brick Pavement	8507011	375.000	Syd
0595	_Porous Tree Surround	8507050	10.000	Ea
0600	_Preconstruction Documentation	8507051	1.000	LSUM
0605	_Additional Insurance	8507060	10,000.000	Dlr
0610	_Contaminated Material, Storage, Handling and Disposal	8507060	30,000.000	Dlr



Report v1

Letting ID: 230901 **Call Number:** 037 **Proposal ID:** 19043-211615

Description: 4.94 mi of full depth concrete pavement repairs and bridge rehabilitation including deep overlay, rail

patching, full depth patching, bearing replacement, substructure patching, epoxy overlay, pressure relief joints and approach work on I-69 from Airport Road to US-127, Clinton County. This project

includes a 5 year performance warranty on thin epoxy overlay. ** 5765 Ba **

DBE Goal Percent: 3.00%

Project Information

r roject imormation			
Project Number	Federal Project Number	Federal Item Nu	ımber Control Section
211615A	N/A		M 19043
Location: I-69 from A	irport Road to US-127.		
Route:			
212532A	23A0741		BFPI 19043
Location: EB I-69 over	er Wood Road.		
Route:			
Classification Ratin	gs		
B = 4.26%	Ba = 53.67%	Cb = 0.13%	Ea = 2.01%
Fa = 8.09%	Fb = 0.09%	I = 0.06%	J = 0.23%

MOT = 6.65%

Misc = 11.35%

N3 = 3.15% N91C = 0.43% N6 = 0.02%N91F = 2.82%

N7 = 0.02%N93C = 0.73%

N93F = 0.00%

N91A = 6.22%

N96L = 0.09%

Line Num	Item Description	Item ID	Quantity	Units
0010	Mobilization, Max\$524,100.00	1100001	1.000	LSUM
0285	Channelizing Device, 42 inch, Fluorescent, Furn	8120035	960.000	Ea
0290	Channelizing Device, 42 inch, Fluorescent, Oper	8120036	960.000	Ea
0370	Plastic Drum, Fluorescent, Furn	8120252	75.000	Ea
0375	Plastic Drum, Fluorescent, Oper	8120253	75.000	Ea
0505	Contractor Staking	8240001	1.000	LSUM
0510	Staking Plan Errors and Extras, Max \$180/hour	8240002	56.000	Hr





Cost Summaries For Primes

Report v1

Letting ID: 230901 Call Number: 038 **Proposal ID:** 33034-209493

Description: Traffic signals modernization at fifteen locations along I-69 BL, M-43 in the city of Lansing, Ingham County. ** 4261 L **

DBE Goal Percent: 3.00%

Project Information

Project Number	Federal Project Number	Federal Item Number	Control Section
209493A	23A0770		STG 33034

Location: On various routes at multiple intersections.

Route: I-69 BL, M-43

218019A N/A M 33042

Location: On various routes at multiple intersections.

Route: M-43

Classification Ratings

B = 0.36%	Cb = 0.67%	Ea = 1.76%	I = 0.27%
ITS = 0.36%	J = 4.57%	K = 0.40%	L = 70.42%

MOT = 5.56%Misc = 14.12% N3 = 1.10%N6 = 0.41%

Line Num	Item Description	Item ID	Quantity	Units
0005	Mobilization, Max\$387,400.00	1100001	1.000	LSUM
0050	Project Cleanup	2090001	1.000	LSUM
0225	Plastic Drum, Fluorescent, Furn	8120252	150.000	Ea
0230	Plastic Drum, Fluorescent, Oper	8120253	150.000	Ea
0480	Span Wire Tether	8200142	38.000	Ea
0660	_Controller, NEMA, ATC Type	8207050	15.000	Ea
0675	Contractor Staking	8240001	1.000	LSUM
0680	Staking Plan Errors and Extras, Max \$180/hour	8240002	42.000	Hr